



PLAN



ELEVATION

TABLE 1		
SYSTEM CONFIGURATION	TL-2	TL-3
SYSTEM LENGTH	4147	6403

- 1 TL-2 system consists of 1N, 3N and 4-5N Panels.
- 2 When the system is placed on a concrete pad, the pad shall be according to OPSD 923.001
- 3 Anchors shall be according to the manufacturer's specifications.



SECTION A-A

- A Delineation shall be according to OPSD 984.203.
- B The system depicted here is a proprietary product.
- C System configuration meets AASHTO MASH TL-2 and TL-3
- D All dimensions are in millimetres unless otherwise shown.

<p>MINISTRY OF TRANSPORTATION ONTARIO DRAWING</p> <p>ENERGY ATTENUATOR, CRASH CUSHION</p> <p>DELTA CRASH CUSHION</p> <p>INSTALLATION – TEMPORARY</p> <p>BIDIRECTIONAL</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">April 2024</td> <td style="width: 50%; text-align: center;">Rev 1</td> </tr> <tr> <td colspan="2" style="text-align: center;">MTOD – 923.513</td> </tr> </table>	April 2024	Rev 1	MTOD – 923.513	
April 2024	Rev 1				
MTOD – 923.513					